

# Eaton C25DNJ350A

Catalog Number: C25DNJ350A

Eaton definite purpose contactor, Quick, 50A, 550-600 Vac, 50/60 Hz, 1NC, Open with metal mounting plate, 15-50A, two- and three-pole, 50A, Contactor, Three-pole, 65A, Box lugs(posidrive setscrew) and quick connect terminals , Non-reversing

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton definite purpose contactor	C25DNJ350A
<b>UPC</b>	<b>Product Length/Depth</b>
782116300723	3.35 in
<b>Product Height</b>	<b>Product Width</b>
3.75 in	2.4 in
<b>Product Weight</b>	<b>Warranty</b>
1.3 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
<b>Compliances</b>	<b>Certifications</b>
CE Marked	CSA Certified
RoHS Compliant	UL Listed file E1491 (Guide Number NLDX2)

## Product specifications

### Inductive full load

50 A

### Auxiliary contacts

Quick connect (vertical in-line)

### Connection

Quick

### Enclosure

Open with metal mounting plate

### Number Of Poles

Three-pole

### Coil

110-120 Vac

### Frame size

15-50 A, two-pole and three-pole

### Accessories

Mounting plate

### Coil voltage

50/60 Hz

### Series

E1

### Type

Non-reversing

### Model

Contactors

### Terminals

Box lugs (posidrive setscrew)

## Resources

### Catalogs

Eaton's Volume 5—Motor Control and Protection

### Drawings

C25DNJ3 3D Inventor

C25DNJ3 AutoCAD 2D Footprint (mm)

C25DNJ3 AutoCAD 2D Footprint

C25DNJ3 2D PDF

C25DNJ3 2D Drawing Xchange

C25DNJ3 3D Model Xchange

### Specifications and datasheets

Eaton Specification Sheet - C25DNJ350A



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)