

# IRONMAN™ Bi-Metal Hole Saws

- Thicker, flex-free backing plate for clean true holes and longer tool life
- Variable pitch tooth geometry for fast cutting and reduced vibration
- Cuts all types of machinable metal including stainless steel, wood, nail embedded wood, plastic and fiberboard



Saw Diameter (In.)	Pipe Tap Size* (In.)	Pipe Entrance Size* (In.)	Use with Arbor No.	Cat. No.
9/16	—	—	35-391, 35-392 or 35-393	35-340
5/8	—	—		35-341
11/16	—	—		35-342
3/4	1/2	3/8		35-343
25/32	—	—		35-399
13/16	—	—		35-344
7/8	3/4	1/2		35-345
15/16	—	—		35-346
1	—	—		35-347
1-1/16	—	—		35-348
1-1/8	1	3/4	35-349	
1-3/16	—	—	35-350	
1-1/4	—	—	35-351	
1-5/16	—	—	35-352	
1-3/8	—	1	35-353	
1-1/2	1-1/4	—	35-355	
1-9/16	—	—	35-356	
1-5/8	—	—	35-357	
1-11/16	—	—	35-358	
1-3/4	1-1/2	1-1/4	35-359	
1-13/16	—	—	35-360	
1-7/8	—	—	35-361	
2	—	1-1/2	35-394, 35-536 or 35-537	
2-1/16	—	—	35-362	
2-1/8	—	—	35-363	
2-1/4	2	—	35-364	
2-5/16	—	—	35-365	
2-3/8	—	—	35-366	
2-1/2	—	2	35-367	
2-9/16	—	—	35-368	
2-5/8	2-1/2	—	35-369	
2-3/4	—	—	35-370	
2-7/8	—	—	35-371	
3	—	2-1/2	35-372	
3-1/8	—	—	35-373	
3-1/4	3	—	35-374	
3-3/8	—	—	35-375	
3-1/2	—	—	35-376	
3-5/8	—	3	35-377	
3-3/4	3-1/2	—	35-378	
3-7/8	—	—	35-379	
4	—	—	35-380	
4-1/8	—	3-1/2	35-394, 35-536, 35-537 or 35-538	
4-1/4	4	—	35-381	
4-3/8	—	—	35-382	
4-1/2	—	4	35-383	
4-3/4	4-1/2	—	35-384	
5	—	—	35-385	
5-1/2	—	—	35-386	
5-3/4	—	—	35-387	
6	—	—	35-388	
			35-389	
			35-390	

\*All pipe sizes listed in the Pipe Tap Size and Pipe Entrance Size columns are standard industry sizes. All pipes are sized by the nominal inside diameter.

CUTTING SUPPLIES

## 8-Piece Electrician's Hole Saw Kit

- Kit Includes: 7/8 in. 35-345, 1-1/8 in. 35-349, 1-3/8 in. 35-353, 1-3/4 in. 35-359, 2 in. 35-362, 2-1/2 in. 35-368, 7/16 in. Hole Saw Arbors 35-393 and 35-394



Description	Cat. No.
8-Piece Electrician's Hole Saw Kit	35-400

## 14-Piece Electrician's Hole Saw Kit

- Kit Includes: 7/8 in. 35-345, 1-1/8 in. 35-349, 1-3/8 in. 35-353, 1-3/4 in. 35-359, 2 in. 35-362, 2-1/2 in. 35-368, 3 in. 35-373, 3-5/8 in. 35-378, 4-1/8 in. 35-382, 4-1/2 in. 35-385, 1/4 in. Round Hole Saw Arbor 35-391, 7/16 in. Hex Hole Saw Arbors 35-393, 35-394 and Arbor Extension 35-396



Description	Cat. No.
14-Piece Electricians Hole Saw Kit	35-401

## 19-Piece Electrician's Hole Saw Kit

- For electrical, industrial and all-purpose maintenance needs
- Kit Includes: 3/4 in. 35-343, 7/8 in. 35-345, 1 in. 35-347, 1-1/8 in. 35-349, 1-3/8 in. 35-353, 1-1/2 in. 35-355, 1-3/4 in. 35-359, 2 in. 35-362, 2-1/4 in. 35-365, 2-1/2 in. 35-368, 3 in. 35-373, 3-5/8 in. 35-378, 4-1/8 in. 35-382, 4-1/2 in. 35-385, 7/16 in. Hex Hole Saw Arbors 35-393 & 35-394, Replacement Pilot Drill 35-397 and Arbor Extension 35-396



Description	Cat. No.
19-Piece Electrician's Hole Saw Kit	35-518

## Replacement Pilot Drills for Hole Saw Arbors

- Split point pilot drills start on contact for faster penetration and less walking



Description	Cat. No.
4-1/2 in. x 1/4 in. – Fits 35-391, 35-393, 35-394 & 35-538 arbors	35-397
3-1/4 in. x 1/4 in. – Fits 35-392, 35-536 & 35-537 arbors	35-398

## Arbor Extension

- Easily connects to IDEAL Hole Saw Arbors
- Extension adds up to 18 in.



Description	Cat. No.
12 in. Extension for 7/16 in. Arbors	35-396

## Hole Saw Arbors

- Durable steel construction for long-lasting performance
- Set-screw in body for easy replacement of the pilot drill
- Versatile design saves valuable time, no tools needed to change hole saws



Shank Size	Thread Size	Chuck Size	Fits Hole Saw Sizes	Cat. No.
1/4 in. Round	1/2 - 20 in.	1/4 in.	9/16 - 1-3/16 in.	<b>35-391</b>
3/8 in. Hex	1/2 - 20 in.	3/8 in.	9/16 - 1-3/16 in.	<b>35-392</b>
7/16 in. Hex	1/2 - 20 in.	1/2 in.	9/16 - 1-3/16 in.	<b>35-393</b>
7/16 in. Hex	5/8 - 18 in.	1/2 in.	1-1/4 - 6 in.	<b>35-394</b>
7/16 in. Hex	5/8 - 18 in.	1/2 in.	1-1/4 - 6 in.	<b>35-536</b>
3/8 in. Hex	5/8 - 18 in.	3/8 in.	1-1/4 - 6 in.	<b>35-537</b>
7/16 in. Hex	5/8 - 18 in.	1/2 in.	2 - 6 in.	<b>35-538</b>

Best arbor for use with TriBore™ Hole Saws.

## Tri-Bore™ Multi-Purpose Hole Saw



- Massive carbide tips designed to cut wood with nails, cement board, composite enclosures, ceiling tile and more!
- Faster than self-feed bits in wood and carbide grit in abrasive materials

Hole Size (in.)	Application	Cat. No.
1-3/8		<b>36-350</b>
2-1/8	1-1/2" Pipe and lock installation	<b>36-351</b>
2-1/4	1-1/2" Pipe with couplings	<b>36-352</b>
2-9/16	2" Pipe	<b>36-353</b>
3	2" Pipe with couplings	<b>36-354</b>
3-3/8		<b>36-355</b>
3-5/8	3" Pipe	<b>36-356</b>
4		<b>36-357</b>
4-1/4	3" Pipe with couplings, 4" dryer vent	<b>36-358</b>
4-1/8		<b>36-359</b>
4-3/8	Capri®, Halo®, Marco, Mini Juno	<b>36-360</b>
4-5/8	4" pipe	<b>36-361</b>
5-3/8	Capri®, Juno®, Lightolier, Prescolite, Progress	<b>36-362</b>
6-1/4	6" Duct	<b>36-363</b>
6-3/8	Capri®, Halo®	<b>36-364</b>
6-5/8	Juno® and Progress	<b>36-365</b>
6-7/8	Capri®, Lightolier, Lithonia, Prescolite, Progress	<b>36-366</b>

## Spade Bit & Carbide Pilot for Tri-Bore™ Hole Saws

- Deep-cup design on Tri-Bore™ Hole Saws require the use of a longer pilot bit.



Hole Size (in.)	Application	Cat. No.
Spade Bit	Wood boring	<b>36-367*</b>
Carbide Pilot	Abrasive material boring	<b>36-368*</b>

\*For use with Hole Saw Arbors 35-394, 35-536, 35-537, 35-538