

Eaton BR48L125RP

Catalog Number: BR48L125RP

Eaton Eaton BR main lug loadcenter, No feed-thru lugs, Convertible main, 225 A, L2, Aluminum, Cover included, NEMA 1, Metallic, 25 kAIC, NEMA 1,42 Circuits, 42 Spaces,Four-wire, Three-phase, Type BR 1-inch breakers, 120/240V



General specifications

Product Name	Catalog Number
Eaton BR main lug loadcenter	BR48L125RP
UPC	Product Length/Depth
786676001205	3.56 in
Product Height	Product Width
13 in	11 in
Product Weight	Warranty
10.1 lb	10 year
Certifications	
UL 67	
UL 50	

Product specifications

Number of spaces

4

Special features

Current design

Interrupt rating

10 kAIC

Phase

Single-phase

Wire size

#14-1/0 AWG Cu/Al

Bus material

Aluminum

Main circuit breaker

BR

Enclosure

NEMA 1

Amperage Rating

125 A

Number Of Poles

Eight-pole

Mounting

Surface

Enclosure material

Metallic

Type

Main lug

Cover

Cover included

Used with

Type BR 1-inch breakers

Number of wires

3

Number of circuits

8

Resources

Brochures

Loadcenters and Circuit Breakers

Type BR Arc Fault Circuit Breakers and Loadcenters

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Installation instructions

Cutler-Hammer Type CH and BR Loadcenters - Instructions

Specifications and datasheets

Eaton Specification Sheet - BR48L125RP

Voltage rating

120/240V

Box size

7R



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)