

# Eaton BR24L125SP

Catalog Number: BR24L125SP

Eaton BR main lug loadcenter, Current design, Main lug, 125 A, 6, Aluminum, Cover not included, NEMA 1, Metallic, 10 kAIC, Surface, 4 Circuits, 2 Spaces, Three-wire, Single-phase, Type BR 1-inch breakers, 120/240 V, #14-1/0 AWG Cu/Al

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton BR main lug loadcenter	BR24L125SP
<b>UPC</b>	<b>Product Length/Depth</b>
786676002271	3.88 in
<b>Product Height</b>	<b>Product Width</b>
21 in	14.31 in
<b>Product Weight</b>	<b>Warranty</b>
5.4 lb	10 year
<b>Certifications</b>	<b>Catalog Notes</b>
UL 50 UL 67	Ground bar kits priced separately. Suitable for use as service equipment when not more than two service disconnecting mains are provided or when not used as a lighting and appliance panelboard.



## Product specifications

### Number of spaces

2

### Special features

Current design

### Interrupt rating

10 kAIC

### Phase

Single-phase

### Wire size

#14-1/0 AWG Cu/Al

### Bus material

Aluminum

### Enclosure

NEMA 1

### Amperage Rating

125 A

### Number Of Poles

Four-pole

### Mounting

Surface

### Enclosure material

Metallic

### Type

Main lug

### Cover

Cover not included

### Used with

Type BR 1-inch breakers

### Number of wires

3

### Number of circuits

4

### Voltage rating

120/240 V

## Resources

### Brochures

Loadcenters and Circuit Breakers

Type BR Arc Fault Circuit Breakers and Loadcenters

### Catalogs

Eaton's Volume 1—Residential and Light Commercial

### Installation instructions

Cutler-Hammer Type CH and BR Loadcenters - Instructions

### Specifications and datasheets

Eaton Specification Sheet - BR24L125SP



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)