



Catalog No. TSDR840CFCUGP

Description: MSLC DU-MB RGLS 400A22K 8/16 F UG LB GP

UPC No 783164483079

Home > Load Centers > Meter Socket

PowerMark Gold Meter Socket Load Centers are an ideal option for residential applications. Additonally, PowerMark Gold Meter Socket Load Centers provide increased reliability and maximum circuit layout flexibility. All our PowerMark Gold Meter Socket Load Centers are built with high-quality materials for extended durability. Furthermore, their perfected design allows for an easy and fast installation. The TSDR840CFCUGP is a ringless, dual main breaker meter socket and features spaces for 8, 1" breakers, a 400A main ampere rating, a copper bus, Georgia Power compatibility, and an outdoor suitable, surface enclosure.

Descriptors	
Category	Meter Socket
Specifications	
specifications	
Input/Output Voltage	120/240V ac
Type	Georgia Power
Amperage	400 A
Device type	Meter Socket
Enclosure	Outdoor Type 3R Enclosure
Phase	1 Phase
1" Space	8
1/2" Space	16
NEMA Rating	NEMA 3R
Circuit Breaker Style	Plug-In

electrification.us.abb.com Created on: 05/14/2022

Publications			
Title	Publication No.	Publication Type	
DEH41153 Generator Interlock Kit Installation Instructions		Application and	
Instructions for installing the interlock and circuit breaker retainer on the 150-200A rated Meter Socket Load Centers. 8 circuits. Rating Label	DEH41153	Technical	
TSDR840CFCUGP, 400A, TYPE 3R ENC	TSDR840CFCUGP-LBL	Connection Diagram	
Outline Drawing for Part # TSDR840CFCUGP	TCDD040CFCUCD	Drawings-Outline and	
Main Breaker Dual THQD - Ringless - 400 A - 22K- 8/16 Circuits - N3R Encl Semiflush Front-Side by Side-Top/Bottom Feed - Georgia Power	TSDR840CFCUGP	Dimensional	

Additional Documentation: Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.

electrification.us.abb.com Created on: 05/14/2022