

Eaton 3BR3030N100

Catalog Number: 3BR3030N100

Eaton BR convertible loadcenter, No feed-thru lugs, includes BREQS125 hold-down screw, Convertible main, 100 A, D1, Aluminum, Cover included, NEMA1, Metallic, 10 kAIC, BR, Combination, 30 Circuits, 30 Spaces, Four-wire, Three-phase, 208 Y/120, 240 V



General specifications

Product Name	Catalog Number
Eaton BR convertible loadcenter	3BR3030N100
UPC	Product Length/Depth
786676442909	3.88 in
Product Height	Product Width
29.13 in	14.31 in
Product Weight	Warranty
20 lb	10 year
Certifications	Catalog Notes
UL 67 UL 50	The maximum rating of the panel is the main breaker rating when used as service entrance equipment. Has notch for brhdk125 hold-down kit.

Product specifications

Number of spaces

30

Special features

No feed-thru lugs, includes BREQS125 hold-down screw

Interrupt rating

10 kAIC

Phase

Three-phase

Wire size

Determined by circuit breaker installed

Bus material

Aluminum

Main circuit breaker

BR

Enclosure

NEMA 1

Amperage Rating

100 A

Mounting

Combination

Enclosure material

Metallic

Type

Convertible main

Cover

Cover included

Used with

Type BR 1-inch breakers

Number of wires

4

Number of circuits

30

Voltage rating

208Y/120, 240V

Resources

Brochures

Loadcenters and Circuit Breakers

Type BR 3-Phase Loadcenters

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - BR 1 LOADCENTER, BR CONVERTIBLE, INDOOR
NEMA 1, 120/240 VAC, 3 PHASE

Specifications and datasheets

3-Phase Loadcenter Program

Eaton Specification Sheet - 3BR3030N100

Box size

D1



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)